

Landscape Garden Speaker

Features

- Built-in 100v/70v transformer
- Landscape garden type loudspeaker
- IP66 waterproof level
- 6.5"+1.5" two ways driver
- Power taps at 7.5w-15w @100V
- Fiber-glass material
- Heavy damage proof finish

Description

The T-300 is a landscape garden speaker built-in 70v/100v transformer. The 70v/100v transformer technique reduces line losses on longer distance and allows easy parallel connection of multiple loudspeakers.

The built-in 6.5" +1.5" two way speaker drivers are designed of wide frequency response 120-15kHz, the multiple power taps of 7.5W & 15W could meet different applications varies from room size and ambient noise surroundings.

The fiber-glass enclosure is of green color and of weatherproof and heavy damage proof finish. Easy and secure wall mount installation in outdoor area.

It is ideal choice for industrial and commercial applications in the outdoor area of train station, shopping mall, parking area and factory where background music and paging is needed.



Specification


Model	T-300
Power Taps @100V	7.5W, 15W
Power Taps @70V	3.8W, 7.5W
Impedance	Black: Com White: 800Ω Green: 400Ω
SPL(1W/1M)	95dB±3dB
Max. SPL (Rated W/1M)	109dB±3dB
Frequency Response (-10dB)	120-15KHz
Finish	Organic resin
Speaker Driver	6.5"+1.5"
IP Rate	IP x 6
Cutout Size	350mm
Dimensions(mm)	
Weight	5.6Kg



T-300

Landscape Garden Speaker

Appearance:



Frequency Response

